

 **BILMOLA**

**RAPID 5**





VENTILATION

HI FLOW VENTILATION CHANNEL
PROVIDE THE FRESH AIR FOR THE
COMFORT RIDING



RETENSION SYSTEM

- STEPIING LOCK AND QUICK REMOVING
- BUCKLE MADE FROM STAINLSTEEL SUS304.

ACTIVE AIR

ACTIVE AIR FABRICS
SIGNATURE BY BILMOLA
FOR THE MAXIMUM
COOL AND QUICK DRY

VISOR

ANTI SCRATCH POLYCARBONATE
UV PROTECTION 99%

RATCHET SYSTEM

AUTOMATIC ADJUSTMENT SYSTEM
SUPPORT VISOR FOR THE PERFECT
FIT WITH THE RUBBER TRIM

BLUETOOTH COMPATIBLE

DESIGNED TO BE COMPATIBLE WITH
BLUETOOTH DEVICES



3D CONTOUR SHAPE


3D MULTILAYER SPONGE STRUCTURE
FOR MORE WEARING COMFORT AND
EASY REMOVE FOR WASHING

Shell

- WEIGHT 1450±50 g
- 1 SHELL SIZE
- 3 CUSHION SIZES (S M L)
- CERTIFIED ECE R22.05 & TIS 369-2557
- MADE FROM SHOCK RESISTANT THERMOPLASTIC



FEATURES



RAPID S SPOILER

- OPTIMIZE AERODYNAMICS
- REDUCE TURBULENCE
- INSPIRATION FROM FIGHTER JET



N E W - D E S I G N

SPOILER








ATTACK PINK SUPER GREEN









ATTACK GREEN RED (MATTE)



DON'T SHIFT MISS RED





DON'T SHIFT MISS YELLOW BLUE






DON'T SHIFT MISS YELLOW BLUE




DON'T SHIFT MISS GREEN VIOLET



DON'T SHIFT MISS GREEN VIOLET












DUCK OFF BLACK




KILLER (GLOW IN THE DARK)





KILLER (GLOW IN THE DARK)












BUNNY









PRODUCTS



SIZING	Number of Shell Sizes	1 Shell Size					
	Number of Cushion Sizes	3 Cushion Sizes : S, M and L					
	Interior Circumference (cm.)	53-54	55-56	57-58	59	60	61
	Sizes of Shell	M/L					
	Sizes of Cushion	S		M	L		
	Sizes of Interior Liners	XS	S	M	L	XL	XXL
MATERIALS	Shell Materials	Shock Resistant Thermo Plastics (SRTP)					
	Cushion Materials	Expanded Polystyrene					
	Interior Liners	Active Air					
	Visor	Polycarbonate and Anti Scratch Treatment					
SYSTEM	PINLOCK System	PINLOCK 30					
	Type of Retension System	Stepping Lock Made from Stainless Steel SUS 304					
	Type of Cushion Structure	Multi Density					
	Removable Interior	Available					
	Visor Ratchet System	Quick Release System					
GENERAL	Weights	1450±50 g					
	Standard Certificated	ECE R22.05 and TIS 369-2557					
	Visor Colors Available	Clear (STD), Dark Smoke, Iridium Rainbow					
	Number of Ventaliations	4 Ports					